

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6662302".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/07 15:42
S2	5	"408825".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 13:47
S3	17	("5497498" "5535406" "5537295" "5737631" "5751164" "5841810" "5887165" "5931959" "5933642" "5956518" "5996083" "6134707" "6172518" "6175434" "6198304" "6314551" "6421728").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:06
S4	119	adaptiv\$3 near8 (programmable adj1 logic pld pga fpga)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/07 16:20
S5	30	S4 same configur\$7	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/07 16:19
S6	36	S4 same re\$1 configur\$7	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/07 16:11
S7	888	dynamic\$4 near8 (programmable adj1 logic pld pga fpga)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/07 16:19
S8	41	S4 same (configur\$7 re\$1 configur\$7)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/07 16:37
S9	42	S4 and (@rld<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/10 16:36
S10	10	S8 and (@rld<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/07 16:37
S11	46	default near2 configuration same (pld fpga pga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 14:40
S12	5	"831472".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 10:09
S13	153	multiple near2 configuration\$1 same (pld fpga pga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 12:08
S14	18	S13 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 10:36
S15	6	("5923614" "5999020" "6031391" "6191608" "6239613" "6326806").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:37
S16	82	predetermined near2 configuration\$1 same (pld fpga pga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 10:44
S17	333	chang\$3 near2 configuration\$1 same (pld fpga pga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 16:35
S18	3	S17 same default	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 10:45
S19	34	(adaptiv\$4 dynamic\$4) near8 chang\$3 near2 configuration\$1 same (pld fpga pga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 11:03
S20	16	("4992671" "5049706" "5412170" "5453588" "5473809" "5610378" "5724719" "5852867" "6046413" "6534733").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 11:03
S21	9	("4642487" "5426378" "5898317" "6011730" "6025735" "6124728" "6145020" "6157979" "6326651").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 11:38

EAST Search History

S22	131	("5426378").URPN.	USPAT	OR	OFF	2006/04/10 11:41
S23	17	("5497498" "5535406" "5537295" "5737631" "5751164" "5841810" "5887165" "5931959" "5933642" "5956518" "5996083" "6134707" "6172518" "6175434" "6198304" "6314551" "6421728").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 11:51
S24	4	("3665173" "3783250" "4135240" "5621720").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 11:58
S25	8	("5751164").URPN.	USPAT	OR	OFF	2006/04/10 11:59
S26	55	("5535406").URPN.	USPAT	OR	OFF	2006/04/10 12:01
S27	203	logic near2 (configur\$7 re\$1configur\$7) same (multiple near5 configuration\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 12:10
S28	36	S27 same programmable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 12:10
S29	12	("4500933" "4617479" "4755967" "4831285" "4876466" "4972105" "5386518" "5796944" "5796994" "5825199" "5887165" "6097988").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 12:12
S30	1	("5796994").URPN.	USPAT	OR	OFF	2006/04/10 12:15
S31	4	("6145020").URPN.	USPAT	OR	OFF	2006/04/10 12:17
S32	52	("5838165").URPN.	USPAT	OR	OFF	2006/04/10 12:22
S33	32	S32 and (@rlad<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/10 15:30
S34	171	(dpga dynamic\$4 adj1 programmable adj1 gate adj1 array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 13:24
S35	0	S34 same (default near2 configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 13:12
S36	21	S34 same (cpu processor microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 13:12
S37	71	("20010010057" "20010047465" "5036473" "5230057" "5243238" "5336950" "5535342" "5537654" "5600263" "5600845" "5628028" "5646545" "5673198" "5689195" "5692159" "5737766" "5742180" "5744980" "5760607" "5794164" "5796977" "5801547" "5808942" "5828229" "5828858" "5831448" "5838165" "5838954" "5857109" "5892962" "5915123" "5933023" "5946219" "5956518" "5970254" "5970439" "5978260" "5978862" "6011740" "6026230" "6026459" "6028445" "6052773" "6064676" "6076152" "6127843" "6134516" "6150839" "6172520" "6172521" "6175247" "6216191" "6219785" "6230307" "6237054" "6255849" "6259271" "6266760" "6281703" "6292021" "6298319" "6308311" "6311149" "6312381" "6321369" "6324672" "6338112" "6339341" "6339819" "6340897" "6356109").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 13:14
S38	172	(dpga dynamic\$4 adj1 programm\$4 adj1 gate adj1 array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 13:24
S39	1	S38 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 13:24
S40	58	("5600845").URPN.	USPAT	OR	OFF	2006/04/10 13:38
S41	71	("20010010057" "20010047465" "5036473" "5230057" "5243238" "5336950" "5535342" "5537654" "5600263" "5600845" "5628028" "5646545" "5673198" "5689195" "5692159" "5737766" "5742180" "5744980" "5760607" "5794164" "5796977" "5801547" "5808942" "5828229" "5828858" "5831448" "5838165" "5838954" "5857109" "5892962" "5915123" "5933023" "5946219" "5956518" "5970254" "5970439" "5978260" "5978862" "6011740" "6026230" "6026459" "6028445" "6052773" "6064676" "6076152" "6127843" "6134516" "6150839" "6172520" "6172521" "6175247" "6216191" "6219785" "6230307" "6237054" "6255849" "6259271" "6266760" "6281703" "6292021" "6298319" "6308311" "6311149" "6312381" "6321369" "6324672" "6338112" "6339341" "6339819" "6340897" "6356109").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 13:40
S42	22	("5887165").URPN.	USPAT	OR	OFF	2006/04/10 13:41
S43	4	("6145020").URPN.	USPAT	OR	OFF	2006/04/10 13:42
S44	241	(adaptive\$3 dynamic\$4) near2 configur\$5 same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 16:41
S45	16	S44 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 14:41

EAST Search History

S46	32	(adaptive\$3 dynamic\$4) near2 configur\$5 near10 (chang\$3 adjust\$3) same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:03
S47	6	"686940".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 14:47
S48	8	("5751164").URPN.	USPAT	OR	OFF	2006/04/10 14:52
S49	0	(adaptive\$3 dynamic\$4) near2 configur\$5 near10 (demand\$3) same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 14:59
S50	7	(demand\$3) near2 configur\$5 same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 14:59
S51	6	(adaptive\$3 dynamic\$4) near2 configur\$5 near10 (power) same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:01
S52	233	(power) near2 configur\$5 same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:28
S53	12	(power) near10 configur\$5 near10 (chang\$3 adjust\$3) same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:03
S54	62	(adaptive\$3 dynamic\$4) near10 configur\$5 near10 (chang\$3 adjust\$3) same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:26
S55	4774	(adaptive\$3 dynamic\$4 chang\$3 adjust\$3) near10 (re adj1 configur\$5 configur\$5) near10 (cpu processor microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:27
S56	90	S55 same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:29
S57	6	S56 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 15:28
S58	34	S56 and (@rlad<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/10 15:30
S59	58	("5600845").URPN.	USPAT	OR	OFF	2006/04/10 16:03
S60	2	"6157971".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 16:31
S61	49	default near2 configuration\$1 same (pld fpga pga (programmable adj2 logic) dpga)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 16:36
S62	27	S61 and (@rlad<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/10 16:43
S63	249	(adaptive\$3 dynamic\$4) near2 configur\$6 same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 17:03
S64	58	S63 same (adjust\$3 chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 16:42
S65	34	S64 and (@rlad<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/10 17:04
S66	125	("5361373").URPN.	USPAT	OR	OFF	2006/04/10 16:45

EAST Search History

S67	26	S66 and default	USPAT	OR	OFF	2006/04/10 16:45
S68	0	("6753925").URPN.	USPAT	OR	OFF	2006/04/10 16:48
S69	6	("5361373" "5535406" "5684980" "5748979" "5784636" "5819064").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 16:59
S70	8	("5968161").URPN.	USPAT	OR	OFF	2006/04/10 17:00
S71	109	(alternative) near2 configur\$6 same (pld fpga pga dpga (programmable adj2 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/10 17:03
S72	60	S71 and (@rlad<="19990929" @ad<="19990929" @pd<="19990929")	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/10 17:04
S73	8	("5968161").URPN.	USPAT	OR	OFF	2006/04/11 11:56
S74	58	("5600845").URPN.	USPAT	OR	OFF	2006/04/11 12:11
S75	9	("4791603" "4831573" "4876466" "5233539" "5280288" "5361373" "5379382" "5434629" "5500609").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 12:51
S76	19	xc3020	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 13:13
S77	2508	fpga same (address\$3 alu arithmetic adj1 logic adj1 unit decode)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 13:13
S78	2543	fpga same (address\$3 alu arithmetic adj1 logic adj1 unit decode)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/11 13:14
S79	283	S78 same re\$1 configur\$7	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/04/11 13:15
S80	17	("5497498" "5535406" "5537295" "5737631" "5751164" "5841810" "5887165" "5931959" "5933642" "5956518" "5996083" "6134707" "6172518" "6175434" "6198304" "6314551" "6421728").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 15:46
S81	115	trujillo.xa.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 15:54
S82	65	S81 and function	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 15:51
S83	6	S81 and function near5 (necessary required)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 15:51
S84	1	S81 and "535984".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 16:11
S85	23704	width near5 configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:12
S86	493	width near5 configur\$7 near5 (bus word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:13
S87	29	width near5 re\$1 configur\$7 near5 (bus word)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:15
S88	34	width near5 (re\$1 configur\$7 configur\$7) near5 (bus word) near5 (chang\$3 adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:17
S89	22	S88 not S87	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:16
S90	42	width near5 (re\$1 configur\$7 configur\$7) near5 (bus word) near5 (chang\$3 adjust\$3 dynamic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:17
S91	20	S90 not S89	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:17

EAST Search History

S92	45	programmable near5 word near5 width	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 16:33
S93	48	("5933023").URPN.	USPAT	OR	OFF	2006/04/11 16:38